

## **AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions and listings of claims in the application:

24. (Currently Amended) A detergent and conditioning cosmetic composition comprising (A) a cosmetically acceptable aqueous medium, (B) a washing base comprising at least one anionic surfactant and at least one amphoteric surfactant, (C) at least one water-insoluble carboxylic acid ester chosen from

1)- monoesters derived from reacting saturated and unsaturated, linear and branched monocarboxylic acids with saturated and unsaturated, linear and branched monoalcohols,

2)- di- and triesters derived from reacting saturated and unsaturated, linear and branched di- and tricarboxylic acids with saturated and unsaturated, linear and branched monoalcohols,

3)- mono-, di- and triesters derived from reacting saturated and unsaturated, linear and branched di- and tricarboxylic acids with saturated and unsaturated, linear and branched dialcohols,

4)- monoesters derived from reacting saturated and unsaturated, linear and branched monocarboxylic acids with saturated and unsaturated, linear and branched C<sub>3</sub>-C<sub>49</sub> dialcohols,

5)- di- and triesters derived from reacting saturated and unsaturated, linear and branched monocarboxylic acids with unsaturated dialcohols,

6)- di- and triesters derived from reacting saturated and unsaturated, linear and branched monocarboxylic acids with saturated dialcohols having more than 4 carbon atoms,

7)- mono- and diesters derived from reacting saturated and unsaturated, linear and branched monocarboxylic acids with saturated trialcohols,

8)- triesters derived from reacting saturated and unsaturated, linear and branched monocarboxylic acids with saturated trialcohols having more than 3 carbon atoms,

9)- mono-, di- and triesters derived from reacting saturated and unsaturated, linear and branched monocarboxylic acids with unsaturated trialcohols,

10)- mono-, di- and triesters derived from reacting saturated and unsaturated, linear and branched di- and tricarboxylic acids with saturated and unsaturated, linear and branched trialcohols,

the total number of carbon atoms of said ester not exceeding 27 if said ester is saturated and not exceeding 50 if said ester comprises at least one unsaturation,

the concentration of said ester in said composition ~~being greater than 1~~ ranging from 1.2 to 8% by weight with respect to the total weight of the composition,

the concentration of said washing base in said composition ranging from 6 to 35% by weight with respect to the total weight of the composition,

the composition being devoid of cationic surfactant, and

the anionic surfactant:amphoteric surfactant ratio by weight being less than or equal to 3:1.

25. (Canceled)

26. (Canceled)

27. (Withdrawn) The composition of claim 24 wherein said washing base is present at a content by weight ranging from 8% to 25% by weight with respect to the total weight of the composition.

28. (Withdrawn) The composition of claim 24 wherein said at least one anionic surfactant is present in concentrations ranging from 3 to 30% by weight with respect to the total weight of the composition.

29. (Withdrawn) The composition of claim 24 wherein said at least one anionic surfactant is present in concentrations ranging from 5 to 20% by weight with respect to the total weight of the composition.

30. (Withdrawn) The composition of claim 24 wherein said at least one amphoteric surfactant is present in concentrations ranging from 1 to 20% by weight with respect to the total weight of the composition.

31. (Withdrawn) The composition of claim 24 wherein said at least one amphoteric surfactant is present in concentrations ranging from 1.5 to 15% by weight respect to the total weight of the composition.

32. (Withdrawn) The composition of claim 24 wherein said anionic surfactant::amphoteric surfactant ratio by weight ranges from 0.2:1 to 3:1.

33. (Withdrawn) The composition of claim 24 wherein said anionic surfactant:amphoteric surfactant ratio by weight ranges from 0.4:1 to 2.5:1.

34. (Currently Amended) The composition of claim 24 wherein at least one water-insoluble carboxylic acid ester is chosen from:

1)- monoesters derived from reacting saturated and unsaturated, linear and branched C<sub>1</sub>-C<sub>49</sub> monocarboxylic acids with saturated and unsaturated, linear and branched C<sub>1</sub>-C<sub>49</sub> monoalcohols,

2)- di- and triesters derived from reacting saturated and unsaturated, linear and branched C<sub>2</sub>-C<sub>48</sub> di- and tricarboxylic acids with saturated and unsaturated, linear and branched C<sub>1</sub>-C<sub>49</sub> monoalcohols,

3)- mono-, di- and triesters derived from reacting saturated and unsaturated, linear and branched C<sub>2</sub>-C<sub>49</sub> di- and tricarboxylic acids with saturated and unsaturated, linear and branched C<sub>1</sub>-C<sub>49</sub> dialcohols,

4)- monoesters derived from reacting saturated and unsaturated, linear and branched C<sub>1</sub>-C<sub>48</sub> monocarboxylic acids with saturated and unsaturated, linear and branched [[C<sub>2</sub>]] C<sub>3</sub>-C<sub>49</sub> dialcohols,

5)- di- and triesters derived from reacting saturated and unsaturated, linear and branched C<sub>1</sub>-C<sub>46</sub> monocarboxylic acids with unsaturated C<sub>2</sub>-C<sub>48</sub> dialcohols,

6) di- and triesters derived from reacting saturated and unsaturated, linear and branched C<sub>1</sub>-C<sub>46</sub> monocarboxylic acids with saturated dialcohols having more than 4 carbon atoms,

7)- mono- and diesters derived from reacting saturated and unsaturated, linear and branched C<sub>1</sub>-C<sub>47</sub> monocarboxylic acids with saturated C<sub>3</sub>-C<sub>49</sub> trialcohols,

8)- triesters derived from reacting saturated and unsaturated, linear and branched C<sub>1</sub>-C<sub>46</sub> monocarboxylic acids with saturated trialcohols having more than 3 carbon atoms,

9)- mono-, di- and triesters derived from reacting saturated and unsaturated, linear and branched C<sub>1</sub>-C<sub>47</sub> monocarboxylic acids with unsaturated C<sub>3</sub>-C<sub>49</sub> trialcohols,

10)- mono-, di- and triesters derived from reacting saturated and unsaturated, linear and branched C<sub>2</sub>-C<sub>47</sub> di- and tricarboxylic acids with saturated and unsaturated, linear and branched C<sub>3</sub>-C<sub>48</sub> trialcohols[[,]].

35. (Previously Presented) The composition of claim 34 wherein at least one of said esters is chosen from the compounds from classes 1), 2), 4), 7) and 10).

36. (Previously Presented) The composition of claim 34 wherein said monocarboxylic acid of classes 1), 4), 5), 6), 7), 8) and 9) is chosen from saturated and unsaturated, linear and branched C<sub>3</sub>-C<sub>30</sub> monocarboxylic acids.

37. (Previously Presented) The composition of claim 34 wherein said monoalcohols of classes 1) and 2) are chosen from saturated and unsaturated, linear and branched C<sub>2</sub>-C<sub>30</sub> monoalcohols.

38. (Withdrawn) The composition of claim 34 wherein said di- and tricarboxylic acids of classes 2), 3) and 10) are chosen from saturated and unsaturated, linear and branched C<sub>3</sub>-C<sub>30</sub> di- and tricarboxylic acids.

39. (Withdrawn) The composition of claim 34 wherein said dialcohols of class 3) are chosen from saturated and unsaturated, linear and branched C<sub>2</sub>-C<sub>30</sub> dialcohols.

40. (Withdrawn) The composition of claim 34 wherein said dialcohols of class 4) are chosen from saturated and unsaturated, linear and branched C<sub>3</sub>-C<sub>30</sub> dialcohols.

41. (Withdrawn) The composition of claim 34 wherein said unsaturated dialcohols of class 5) are chosen from unsaturated C<sub>4</sub>-C<sub>30</sub> dialcohols.

42. (Withdrawn) The composition of claim 34 wherein said saturated dialcohols of class 5) are chosen from saturated C<sub>5</sub>-C<sub>48</sub> dialcohols.

43. (Withdrawn) The composition of claim 34 wherein said saturated dialcohols of class 5) are chosen from saturated C<sub>5</sub>-C<sub>30</sub> dialcohols.

44. (Withdrawn) The composition of claim 34 wherein said saturated trialcohols of class 7) are chosen from saturated C<sub>3</sub>-C<sub>30</sub> trialcohols.

45. (Withdrawn) The composition of claim 34 wherein said saturated trialcohols of class 8) are chosen from saturated C<sub>4</sub>-C<sub>47</sub> trialcohols.

46. (Withdrawn) The composition of claim 34 wherein said saturated trialcohols of class 8) are chosen from saturated C<sub>4</sub>-C<sub>30</sub> trialcohols.

47. (Withdrawn) The composition of claim 34 wherein said unsaturated trialcohols of class 9) are chosen from unsaturated C<sub>3</sub>-C<sub>30</sub> trialcohols.

48. (Withdrawn) The composition of claim 34 wherein said saturated and unsaturated, linear and branched trialcohols of class 10) are chosen from saturated and unsaturated, linear and branched C<sub>3</sub>-C<sub>30</sub> trialcohols.

49. (Currently Amended) A detergent and conditioning cosmetic composition comprising (A) a cosmetically acceptable aqueous medium, (B) a washing base comprising at least one anionic surfactant and at least one amphoteric surfactant, (C) at least one water-insoluble carboxylic acid ester chosen from:

cetyl lactate, C<sub>12</sub>-C<sub>15</sub> alkyl lactate, isostearyl lactate, lauryl lactate, linoleyl lactate, oleyl lactate, (iso)stearyl octanoate, isocetyl octanoate, octyl octanoate, cetyl octanoate, isodecyl octanoate, isononyl isononanoate, octyl isononanoate, 2-ethylhexyl isononate, octyl palmitate, octyl pelargonate, octyl stearate, octyldodecyl erucate, oleyl erucate, ethyl and isopropyl palmitates, 2-ethylhexyl palmitate, isopropyl myristate, butyl myristate, hexyl stearate, butyl stearate, isobutyl stearate, hexyl laurate and tridecyl erucate,

diethyl sebacate, diisopropyl sebacate, diisopropyl adipate, di(n-propyl) adipate, dioctyl adipate, dioctyl maleate, triisopropyl citrate, trioylel citrate and dioctyl malate, propylene glycol monostearate, tripropylene glycol monostearate, diethylene glycol monostearate and diethylene glycol monooleate,

glyceryl undecylenate, glyceryl monolaurate, glyceryl dilaurate, glyceryl monocaprinate, glyceryl monocaprylate, glyceryl monostearate, glyceryl monooleate and glyceryl dioleate, glyceryl citrate and glyceryl monosuccinate,

the concentration of said ester in said composition ranging from 1.2 to 8% by weight with respect to the total weight of the composition, and

the concentration of said washing base in said composition ranging from 6 to 35% by weight with respect to the total weight of the composition.

50. (Canceled)

51. (Currently Amended) The composition of claim 50 wherein said at least one ester is present in concentrations ranging from 1.5 to ~~[[10]]~~ 8% by weight with respect to the total weight of the composition.


52. (Withdrawn) The composition of claim 50 wherein said at least one ester is present in concentrations ranging from 2 to 8% by weight with respect to the total weight of the composition.

53. (Withdrawn) The composition of claim 24 wherein said composition additionally comprises at least one cationic polymer.

54. (Withdrawn) The composition of claim 53 wherein said at least one cationic polymer is chosen from quaternary derivatives of cellulose ether, diallyldimethylammonium salt homopolymers and copolymers of diallyldimethylammonium salt and of at least one monomer chosen from acrylamide, cationic polysaccharides, quaternary copolymers of vinylpyrrolidone and vinylimidazole salt.

55. (Withdrawn) The composition as claimed in claim 53 wherein said cationic polymer is chosen from polymers, comprising repeat units corresponding to the formula:





in which  $R_1$ ,  $R_2$ ,  $R_3$  and  $R_4$  are identical and different and denote a radical chosen from alkyl and hydroxyalkyl radicals having from 1 to 4 carbon atoms,  $n$  and  $p$  are integers ranging from 2 to 20, and  $X^-$  is an anion derived from an acid.

56. (Withdrawn) The composition of claim 53 wherein said at least one cationic polymer ranges from 0.005% to 10% by weight of the total weight of the composition.

57. (Withdrawn) The composition of claim 53 wherein said at least one cationic polymer ranges from 0.1% to 5% by weight of the total weight of the composition.

58. (Withdrawn) The composition of claim 53 wherein said at least one cationic polymer ranges from 0.25% to 3% by weight of the total weight of the composition.

59. (Withdrawn) The composition of claim 24 wherein said composition additionally comprises at least one water-soluble salt.

60. (Withdrawn) The composition of claim 59 wherein said at least one water-soluble salt is chosen from salts derived from reacting metals chosen from monovalent metals and divalent metals with an acid.

61. (Withdrawn) The composition of claim 60 wherein said at least one water-soluble salt is chosen from sodium chloride, potassium chloride, calcium chloride, magnesium sulfate, sodium citrate, and the sodium salts of phosphoric acid.

62. (Withdrawn) The composition of claim 60, wherein said at least one water-soluble salt is present at concentrations ranging from 0.1 to 10% by weight with respect to the total weight of the composition.

63. (Withdrawn) The composition of claim 60, wherein said at least one water-soluble salt is present at concentrations ranging from 0.5 to 5% by weight with respect to the total weight of the composition.

64. (Withdrawn) The composition of claim 24 wherein said composition additionally comprises at least one water-soluble alcohol.

65. (Withdrawn) The composition of claim 64 wherein said at least one water-soluble alcohol is chosen from C<sub>1</sub>-C<sub>6</sub> alcohols.

66. (Withdrawn) The composition of claim 64 wherein said at least one water-soluble alcohol is chosen from ethanol, isopropanol, tert-butanol and n-butanol.

67. (Withdrawn) The composition of claim 64 wherein said at least one water-soluble alcohol is chosen from polyols.

68. (Withdrawn) The composition of claim 64 wherein said at least one water-soluble alcohol is chosen from alkylene glycols.

69. (Withdrawn) The composition of claim 64 wherein said at least one water-soluble alcohol is chosen from propylene glycol, propylene glycerol, polyalkylene glycols, and glycol ethers.

70. (Withdrawn) The composition of claim 64 wherein said at least one water-soluble alcohol is present in concentrations ranging from 0.1 to 20% by weight respect to the total weight of the composition.

71. (Withdrawn) The composition of claim 64 wherein said at least one water-soluble alcohol is present in concentrations ranging from 0.2 to 10% by weight respect to the total weight of the composition.

72. (Withdrawn) The composition of claim 24 wherein said composition additionally comprises at least one adjuvant chosen from cationic surface-active agents, anionic, nonionic and amphoteric polymers, proteins, protein hydrolysates, ceramides, pseudoceramides, fatty acids comprising linear or branched C<sub>16</sub>-C<sub>40</sub> chains, hydroxy acids, vitamins, panthenol, volatile and nonvolatile silicones, UV screening agents, moisturizing agents, antidandruff agents, antiseborrheic agents, agents for combating free radicals, and opacifying agents.

73. (Withdrawn) The composition of claim 72 wherein said fatty acid comprising linear or branched C<sub>16</sub>-C<sub>40</sub> chains is 18-methyl-eicosanoic acid.

74. (Currently Amended) A method for cleaning and/or removing makeup from a keratinous substance comprising applying to said keratinous substance an effective amount of a composition comprising (A) a cosmetically acceptable aqueous

medium, (B) a washing base comprising at least one anionic surfactant and at least one amphoteric surfactant, (C) at least one water-insoluble carboxylic acid ester chosen from

1)- monoesters derived from reacting saturated and unsaturated, linear and branched monocarboxylic acids with saturated and unsaturated, linear and branched monoalcohols,

2)- di- and triesters derived from reacting saturated and unsaturated, linear and branched di- and tricarboxylic acids with saturated and unsaturated, linear and branched monoalcohols,

3)- mono-, di- and triesters derived from reacting saturated and unsaturated, linear and branched di- and tricarboxylic acids with saturated and unsaturated, linear and branched dialcohols,

4)- monoesters derived from reacting saturated and unsaturated, linear and branched monocarboxylic acids with saturated and unsaturated, linear and branched C<sub>3</sub>-C<sub>49</sub> dialcohols,

5)- di- and triesters derived from reacting saturated and unsaturated, linear and branched monocarboxylic acids with unsaturated dialcohols,

6)- di- and triesters derived from reacting saturated and unsaturated, linear and branched monocarboxylic acids with saturated dialcohols having more than 4 carbon atoms,

7)- mono- and diesters derived from reacting saturated and unsaturated, linear and branched monocarboxylic acids with saturated trialcohols,

8)- triesters derived from reacting saturated and unsaturated, linear and branched monocarboxylic acids with saturated trialcohols having more than 3 carbon atoms,

9)- mono-, di- and triesters derived from reacting saturated and unsaturated, linear and branched monocarboxylic acids with unsaturated trialcohols,

10)- mono-, di- and triesters derived from reacting saturated and unsaturated, linear and branched di- and tricarboxylic acids with saturated and unsaturated, linear and branched trialcohols,

the total number of carbon atoms of said ester not exceeding 27 if said ester is saturated and not exceeding 50 if said ester comprises at least one unsaturation,

the concentration of said ester in said composition ~~being greater than 4~~ ranging from 1.2 to 8% by weight with respect to the total weight of the composition,

the concentration of said washing base in said composition ranging from 6 to 35% by weight with respect to the total weight of the composition,

the composition being devoid of cationic surfactant, and

the anionic surfactant:amphoteric surfactant ratio by weight being less than or equal to 3:1.

75. (Currently Amended) A process for washing and for conditioning a keratinous substance comprising:

applying to a wetted said substance an effective amount of the composition comprising (A) a cosmetically acceptable aqueous medium, (B) a washing base comprising at least one anionic surfactant and at least one amphoteric surfactant, (C) at least one water-insoluble carboxylic acid ester chosen from

1)- monoesters derived from reacting saturated and unsaturated, linear and branched monocarboxylic acids with saturated and unsaturated, linear and branched monoalcohols,

2)- di- and triesters derived from reacting saturated and unsaturated, linear and branched di- and tricarboxylic acids with saturated and unsaturated, linear and branched monoalcohols,

3)- mono-, di- and triesters derived from reacting saturated and unsaturated, linear and branched di- and tricarboxylic acids with saturated and unsaturated, linear and branched dialcohols,

4)- monoesters derived from reacting saturated and unsaturated, linear and branched monocarboxylic acids with saturated and unsaturated, linear and branched C<sub>3</sub>-C<sub>49</sub> dialcohols,

5)- di- and triesters derived from reacting saturated and unsaturated, linear and branched monocarboxylic acids with unsaturated dialcohols,

6)- di- and triesters derived from reacting saturated and unsaturated, linear and branched monocarboxylic acids with saturated dialcohols having more than 4 carbon atoms,

7)- mono- and diesters derived from reacting saturated and unsaturated, linear and branched monocarboxylic acids with saturated trialcohols,

8)- triesters derived from reacting saturated and unsaturated, linear and branched monocarboxylic acids with saturated trialcohols having more than 3 carbon atoms,

9)- mono-, di- and triesters derived from reacting saturated and unsaturated, linear and branched monocarboxylic acids with unsaturated trialcohols,

10)- mono-, di- and triesters derived from reacting saturated and unsaturated, linear and branched di- and tricarboxylic acids with saturated and unsaturated, linear and branched trialcohols,

the total number of carbon atoms of said ester not exceeding 27 if said ester is saturated and not exceeding 50 if said ester comprises at least one unsaturation,

the concentration of said ester in said composition ~~being greater than 1~~ ranging from 1.2 to 8% by weight with respect to the total weight of the composition,

the concentration of said washing base in said composition ranging from 6 to 35% by weight with respect to the total weight of the composition,

the composition being devoid of cationic surfactant, and

the anionic surfactant:amphoteric surfactant ratio by weight being less than or equal to 3:1,

optionally leaving said composition in said keratinous substances for a chosen time, and

rinsing with water.

76. (Withdrawn) A process according to claim 75 wherein said keratinous substance is hair.